LOUDERS SERIES

중,대규모의 회의실에서 부터 강당까지 뛰어난 주파수 대역의 특성으로 다양한 용도의 어플리케이션을 소화할 수 있습니다. 힘있는 저음의 구현 및 높은 음역의 명료도 또한 겸비하여, 다양한 장르의 음악 표현이 가능합니다.







LOUDERS 28



LOUDERS 12



LOUDERS 15

FEATURES

Model Characteristic	LOUDERS 8	LOUDERS 28
- System type	8" + 1" 2-WAY SYSTEM	Dual 8" + 1" 2-WAY SYSTEM
- Power Handling	RMS 250W / PROGRAM 500W	RMS 500W / PROGRAM 1000W
- Impedance	8ohm	8ohm
- SPL(1W/1M)	95dB	98dB
- Frequency Range	55Hz~20KHz	65Hz~20KHz
- Coverage(H/V)	90°/ 60°	90° / 60°
Driver Components	Driver Components	
- HF	1" Compression Driver	1" Tweeter
- LF	8" Low Frequency Driver	Dual 8" Low Frequency Driver
- X-Over Frequency	2.7 KHz	3.5KHz
- Enclosure	Birch plywood made	Birch plywood made
- Dimensions(WxHxD)	250 x 422 x 285mm	250 x 612 x 320mm
- Weight	11kg	16kg
Model Characteristic	LOUDERS 12	LOUDERS 15
- System type	12" + 1" 2-WAY SYSTEM	15" + 1.4" 2-WAY SYSTEM
- Power Handling	RMS 500W / PROGRAM 1000W	RMS 700W / PROGRAM 1400W
- Impedance	8ohm	8ohm
- SPL(1W/1M)	97dB	98dB
- Frequency Range	45Hz~20KHz	30Hz~20KHz
- Coverage(H/V)	90°/ 60°	80°/ 50°
Driver Components	Driver Components	Driver Components
- HF	1" Compression Driver	1.4" Compression Driver
- LF	12" Low Frequency Driver	15" Low Frequency Driver
- X-Over Frequency	2.2 KHz	2.0 KHz
- Enclosure	Birch plywood made	Birch plywood made
- Dimensions(WxHxD)	368 x 597 x 345mm	452 x 725 x 390mm
- Weight	20kg	35kg

본사: 경기도 파주시 월롱면 월롱초교길 133-12 공장 1,2 동 / TEL: 031) 949-4700 / FAX 031) 949-4701 (주)라우더스

